



1 – PRODUCT IDENTIFICATION

PRODUCT NAME: POLAR ELITE 100-D

PRODUCT USE: Cooling Tower Treatment

COMPANY:
Blue Ocean Solids, LLC
10664 Loveland-Madeira Road, #241
Loveland, OH 45140
419-367-3502 www.blueoceansolids.com

24 HOUR EMERGENCY PHONE NUMBER: INFOTRAC: 1-800-535-5053 (NORTH AMERICA)

SDS DATE: 7/1/2020 **SHELF LIFE:** 2 years

2 – HAZARDS IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

LABEL ELEMENTS

GHS LABEL ELEMENTS

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms GHS05, GHS07

Signal word Danger

Hazard-determining components of labeling:

- Sodium 4(or 5)-methyl-1H-tolytriazole
- Hydroxyphosphonoacetic acid trisodium salt

Hazard statements

- Causes skin irritation.
- Causes serious eye damage.
- May cause an allergic skin reaction.

Precautionary statements

- Do not breathe dust.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



**Classification system:
NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 1
Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 3
Fire = 1
Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 – COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

DANGEROUS COMPONENTS:		
3794-83-0	Tetrasodium (1-hydroxyethylidene)bisphosphonate	>10 - ≤25%
78620-07-2	Hydroxyphosphonoacetic acid trisodium salt	>2.5 - ≤10%
64665-57-2	Sodium 4(or 5)-methyl-1H-tolytriazole	>2.5 - <5%

4 – FIRST-AID MEASURES

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

DO NOT DELAY!

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact:

DO NOT DELAY!

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

DO NOT DELAY!

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.



Information for doctor: Treat symptomatically and supportively.
Most important symptoms and effects, both acute and delayed
 No further relevant information available.
Indication of any immediate medical attention and special treatment needed
 No further relevant information available.

5 – FIRE-FIGHTING MEASURES

Extinguishing media
Suitable extinguishing agents:
 CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
 During heating or in case of fire poisonous gases are produced.
Advice for firefighters
Protective equipment:
 Do not inhale explosion gases or combustion gases.
 Wear self-contained respiratory protective device.
 Wear fully protective suit.
Additional information Cool endangered receptacles with water spray.

6 – ACCIDENTAL RELEASES MEASURES

Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Avoid formation of dust.
 Wear protective equipment. Keep unprotected persons away.
Environmental precautions:
 Do not allow to penetrate the ground/soil.
 Do not allow product to reach sewage system or any water course in the undiluted form.
Methods and material for containment and cleaning up:
 Pick up mechanically.
 Send for recovery or disposal in suitable receptacles.
 Ensure adequate ventilation.
Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:		
64665-57-2	Sodium 4(or 5)-methyl-1H-benzotriazolide	1.9 mg/m ³
PAC-2:		
64665-57-2	Sodium 4(or 5)-methyl-1H-benzotriazolide	21 mg/m ³
PAC:		
64665-57-2	Sodium 4(or 5)-methyl-1H-benzotriazolide	130 mg/m ³



7 – HANDLING AND STORAGE

Handling:

Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Do not store in aluminum, copper, zinc containers.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from foodstuffs.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well-sealed receptacles.

Specific end use(s) No further relevant information available.

8 – EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Depending on the degree of exposure, periodic medical examination is suggested.

Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.



Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection:

Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

9 – PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Solid
Color:	Various colors
Odor:	Mild
Odor threshold:	Not determined

pH-value (10 g/l) at 20 °C (68 °F):	7 – 8
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	>93 °C (>199.4 °F)
Flammability (solid, gaseous):	Not determined.
Ignition temperature:	>250 °C (>482 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not self-igniting.



Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor Pressure:	Not applicable.
Density:	Not determined.
Relative Density:	Not determined.
Vapor Density:	Not applicable.
Evaporation Rate:	Not applicable.
Solubility in / Miscibility with Water:	Soluble.
Partition Coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Other Information	NOTE: The physical data presented above are typical values and should not be construed as a specification.

10 – STABILITY AND REACTIVITY

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: Strong acids and oxidizing agents

Hazardous decomposition products:

Nitrogen oxides (NO_x)

Carbon monoxide and carbon dioxide

Sulfur oxides (SO_x)

Phosphorous Compounds

11 – TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Strong irritant with the danger of severe eye injury.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

ROUTES OF EXPOSURE: The component substances can variously be absorbed into the body by inhalation and by ingestion.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant



Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 – ECOLOGICAL INFORMATION

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability The organic portion of the product is biodegradable.

Behavior in environmental systems:

Bioaccumulative potential Product is not expected to bioaccumulate.

Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch un-diluted or un-neutralized.
- Danger to drinking water if even small quantities leak into the ground.
- Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 – DISPOSAL CONSIDERATIONS

Waste treatment methods

Recommendation:

Recommended Hierarchy of Controls:

- Minimize waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Contact waste processors for recycling information.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.



Uncleaned packagings:

Recommendation:

Container remains hazardous when empty. Continue to observe all precautions.
Containers, even those that are "empty," may contain residues that can develop hazardous gases and vapors upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 – TRANSPORT INFORMATION

UN-Number DOT, ADR, ADN, IMDG, IATA	Void
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void
Transport Hazard Class(es) DOT, ADR, ADN, IMDG, IATA Class	Void
Packing Group DOT, ADR, ADN, IMDG, IATA	Void
Environmental Hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional Information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

15 – REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture
Sara

Section 355 (Extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listing):

None of the ingredient is listed.

TSCA (Toxic Substances Control Act):

3794-83-0	Tetrasodium (1-hydroxyethylidene)bisphosphonate
70247-90-4	Polymaleic acid, sodium salt
40372-66-5	2-phosphonobutane-1,2,4-tricarboxylic acid, sodium salt
78620-07-2	Hydroxyphosphonoacetic acid trisodium salt
64665-57-2	Sodium 4(or 5)-methyl-1H-tolytriazole
3105-55-3	Maleic acid sodium salt
7732-18-5	Water



TSCA new (21st Century Act) (Substances not listed)

78620-07-2 Hydroxyphosphonoacetic acid trisodium salt

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms GHS05, GHS07

Signal word Danger

Hazard-determining components of labeling:

- Sodium 4(or 5)-methyl-1H-tolytriazole
- Hydroxyphosphonoacetic acid trisodium salt

Hazard statements

- Causes skin irritation.
- Causes serious eye damage.
- May cause an allergic skin reaction.

Precautionary statements

- Do not breathe dust.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin: Wash with plenty of water.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



16 – OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 09/14/2018

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1